



for.me.sa.
forniture medico sanitarie

Urinale per uomo

Man's urinal

Per la raccolta di deiezioni umane di pazienti allettati
For the collection of human waste for bedridden patients



A902308636

UDI



(01) 08055060761424
(17) 270831
(10) 22251191

Dispositivo Medico di Classe I Non sterile
Medical Device class I No sterile

Made in Italy

Avvertenze

- Lavare il dispositivo prima dell'uso. Per l'eventuale disinfezione dopo l'uso, utilizzare esclusivamente disinfettanti appropriati, seguendo le istruzioni d'uso indicate dal fabbricante stesso.
- In caso di appurate perdite di liquidi evitarne l'uso.
- Non porre a contatto o nelle vicinanze di fiamme o di altre fonti di calore.
- Sostituire il dispositivo qualora, dopo un uso prolungato, dovesse assumere un aspetto giallognolo.
- Non disperdere il contenitore nell'ambiente.
- Utilizzare secondo gli usi sopra indicati.
- Ogni uso diverso è da ritenersi improprio.
- Tenere lontano dalla portata dei bambini.
- E' necessario segnalare qualsiasi incidente grave dovuto all'utilizzo del dispositivo medico, sia al Fabbricante sia all'autorità competente dello Stato membro in cui si ha sede.

Warning

- *Always wash the urinal before use. If it needs disinfecting after use, only exclusive specific disinfectants must be used following the instructions given on the product label.*
- *If there are any signs of leakage, the urinal must not be used.*
- *Do not expose or place near flames or other sources of heat.*
- *The urinal should be changed after a long period of use, if the colour becomes yellowish.*
- *Do not disperse the container in the environment.*
- *Use according to the uses indicated above.*
- *Any different use is to be considered improper.*
- *Keep out of reach of children.*
- *You must report any serious accidents due to the use of the medical device, either to the Manufacturer neither to the competent authority of the Member State in which you are based.*

REF

FOR.001.010

LOT

22251191



2027/08/31



For.me.sa. Srl
Via Canvelli 6, 43015 Noceto - PR
www.formesa.it



Rev.4 02/2022